OIPE 408

ATTORNEY DOCKET No.: 14014.0417U2 APPLICATION No.: 10/581,228

SHEET 1 OF 15

INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known				
Application Number	10/581,228			
Filing Date	June 2, 2006			
First Named Inventor	Chiorini et al.			
Group Art Unit	1646			
Examiner Name	Unassigned			

Examiner's	Cite	Document No.	Date	Name	Class	Subclas	Filing Date (if
Initials	No.	· · · · · · · · · · · · · · · · · · ·				s	appropriate`
	B1	6,146,874	Nov 14 2000	Zolotukhin et al.			
	B2	6,180,613	Jan 30 2001	Kaplitt et al.			
	В3	6,221,349	Apr 24 2001	Couto et al.			
	B4	6,309,634	Oct 30 2001	Bankiewicz et al.			
	B5	6,391,858	May 21 2002	Podsakoff et al.			
	В6	6,468,524	Oct 22 2002	Chiorini et al.			
	B7	6,485,976	Nov 26 2002	Nadler et al.	1		
	B8	6,855,314	Feb 15 2005	Chiorini et al.			
	B9	6,984,517	Jan 10 2006	Chiorini et al.			
	B10	2002/0076754 A1	Jun 20 2002	Sun et al.			
	B11	2003/0228282 A1	Dec 11 2003	Gao et al.			
	B12	2004/0086490 A1	Jun 06 2004	Chiorini et al.			
	B13	2004/0110266 A1	Jun 10 2004	Chiorini et al.			
	B14	2004/0115789 A1	Jun 17 2004	Meruelo et al.			
	B15	2005/0255089 A1	Nov 17 2005	Chiorini et al.			
	1	<u> </u>	FOREIGN PATE	NT DOCUMENTS			
Examiner's		Foreign Patent	Date	Name		Translation	on

	FOREIGN PATENT DOCUMENTS					
Examiner's Initials	Cite No.	Foreign Patent Document Country Code- Number-Kind Code	Date	Name	Translation Yes/No	
	B16	DE 44 36 664 A1	Jul 4 1996	Heilbronn, R.	YES	
	B17	WO 1993/24641 A	Dec 9 1993	Carter et al.		
	B18	WO 1996/00587 A	Jan 11 1996	Samulski et al.		
	B19	WO 1996/15777 A	May 30 1996	Wiener et al.		
	B20	WO 1996/18727	Jun 20 1996	Natsoulis, Georges		
	B21	WO 1997/06272	Feb 20 1997	Natsoulis, Georges		
	B22	WO 1998/41240 A	Sept 24 1998	High et al.		
	B23	WO 1998/45462 A	Oct 15 1998	Ciliberto et al.		
	B24	WO 2000/28061	May 18 2000	Wilson et al.		
	B25	WO 2003/093479	Nov 13 2003	Muzyczka et al.		
	B26	WO 2005/017101	Feb 24 2005	Bossis et al.		
	B27	WO 2006/029196	Mar 16 2006	Chiorini et al.		
	B28	WO 2006/119432	Nov 09 2006	Schmidt et al.		

Examiner Signature:

Date Considered:

APPLICATION No.: 10/581,228

SHEET 2 OF 15

			Comp	lete if Known			
INFORM	ATION D	ISCLOSURE STATEMENT LIST	Application Number	10/581,228			
;	(Ulas as many shoots as possessan)		Filing Date	June 2, 2006			
(Use as many sheets as necessary)		First Named Inventor	Chiorini et al.				
			Group Art Unit	1646			
			Examiner Name	Unassigned			
			T DOCUMENTS				
Examiner's Initials	Cite No.		Non-Patent Citations (include Author, Title, Publisher, Relevant Pages, Date and Place of Publication)				
	B29	Alexander et al., "DNA-Damaging Agent Associated Virus Vectors," December 1					
	B30	Alisky et al., "Transduction of Murine Ce 2000, Mol. Neurosci., 11(1221):2669-26	73.				
	B31	Alisky J.M. and Tolbert D.M., "Differential amine and cholera toxin subunit B," 199	al labeling of converging afferen 4, <i>Journal of Neuroscience Met</i>	t pathways using biotinylated dextran hods, 52:143-148.			
	B32	Allen, J.M., Halbert, C.L. and Miller, A.D transfection of a single helper adenoviru					
	B33		Arnberg, N., A. H. Kidd, K. Edlund, J. Nilsson, P. Pring-Akerblom, and G. Wadell, "Adenovirus type 37 binds to cell surface sialic acid through a charge-dependent interaction," 2002, <i>Virology</i> , 302:33-43.				
	B34	Atchison, R. W., B. C. Casto, and W. M. Hammon, "Adenovirus-Associated Defective Virus Particles," 1965, Science, 149:754-756.					
	B35		Auricchio et al., "A Single-Step Affinity Column for Purification of Serotype-5 Based Adeno-Associated Viral Vectors," October 2001, <i>Mol Ther</i> , 4(4):372-374.				
	B36	Bachmann, P.A., M.D. Hoggan, E. Kurstak, J.L. Melnick, H.G. Pereira, P. Tattersall, and C. Vago, "Parvoviridae: second report," 1979, <i>Interverology</i> , 11:248-254.					
	B37	Bajocchi G, Feldman SH, Crystal RG, N central nervous system using recombination	Bajocchi G, Feldman SH, Crystal RG, Mastrangeli A., "Direct <i>in vivo</i> gene transfer to ependymal cells in the central nervous system using recombinant adenovirus vectors," 1993, <i>Nat Genet</i> , 3:229-234.				
	B38		Bantel-Schaal U, Delius H, Schmidt R, zur Hausen H., "Human adeno-associated virus type 5 is only distantly related to other known primate helper-dependent parvoviruses," 1999, <i>J Virol.</i> , 73(2):939-947.				
	B39	Bantel-Schaal U, zur Hausen H., "Chara a genital site," 1984, Virology, 134(1):52		ective human parvovirus isolated from			
	B40	Bantel-Schaal, U. and M. Stohr, "Influer normal cells," 1992, J. Virol., 66:773-77	ce of adeno-associated virus or	n adherence and growth properties of			
	B41	Bantel-Schaal, U., Hub, B. and Kartenbeck, J., "Endocytosis of adeno-associated virus type 5 leads to accumulation of virus particles in the Golgi compartment," 2002, <i>J Virol</i> , 76:2340-2349.					
	B42	Bartlett JS, Kleinschmidt J., Boucher RC, and Samulski RJ, "Targeted adeno-associated virus vector transduction of nonpermissive cells mediated by a bispecific F(ab'gamma) ₂ antibody," 1999, <i>Nat Biotechnol</i> , 17:181-186.					
	B43		Bartlett JS, Samulski RJ, McCown TJ., "Selective and rapid uptake of adeno-associated virus type 2 in brain," 1998, <i>Hum Gene Ther</i> , 9(8):1181-1186.				
	B44	Bartlett, J.S., Wilcher, R. and Samulski, R.J., "Infectious entry pathway of adeno-associated virus and adeno-associated virus vectors," 2000, <i>J Virol</i> , 74:2777-2785.					
	B45	Ben-Israel, H. and Kleinberger, T., "Adenovirus and cell cycle control," 2002, Front Biosci, 7:d1369-1395.					

Examiner Signature:	Date Considered:				
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not considered. Include copy of this for	m with next communication to applicant.				

		Com	plete if Known			
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228			
(Use as many sheets as necessary)		Filing Date	June 2, 2006			
(Use as n	nany sneets as necessary)	First Named Inventor	Chiorini et al.			
		Group Art Unit	1646			
		Examiner Name	Unassigned			
B46		Bergelson, JM, Cunningham JA, Droguett G., Kurt-Jones EA, Krithivas A., Hong JS, Horwitz MS, Crowell RL, and Finberg RW, "Isolation of a common receptor for Coxsackie B viruses and adenoviruses 2 and 5," 1997. Science, 275:1320-1323.				
B47	Berns, K. I., "Parvoviridae: the viruses a virology, 3rd ed. Lippincott-Raven Publi	•	•			
B48	Blacklow, et al., "Serologic Evidence for 40(2):319-327.	r Human Infection With Adenov	irus-Associated Viruses," 1968, J NC			
B49	Blacklow, N.R., Hoggan, M.D. and Row Proc Natl Acad Sci U S A, 58:1410-141		s-associated viruses from man," 196			
B50	Bomsel M, Alfsen A, "Entry of viruses the Cell Biol, 4:57-68.		thogenic trickery," 2003, Nat Rev Mo			
B51	Bomsel M, David V, "Mucosal gatekeepers: selecting HIV viruses for early infection," 2002, <i>Nat Med</i> , 8:114 116.					
B52	Bossis, I. and Chiorini, J.A., "Cloning of an Avian Adeno-Associated Virus (AAAV) and Generation of Recombinant AAAV Particles," 2003, <i>J Virol</i> , 77(12):6799-6810.					
B53	Burcin, M.M., O'Malley, B.W. and S.Y. Tsai, "A regulatory system for target gene expression," 1998, Frontiers in Bioscience, 3:c1-7.					
B54	Carter, B. J., B. A. Antoni, and D. F. Klessig, "Adenovirus containing a deletion of the early region 2A gene allows growth of adeno-associated virus with decreased efficiency," 1992, Virology, 191:473-476.					
B55	Carter, B. J., C. A. Laughlin, L. M. de la 1979, <i>Virology</i> , 92:449-462.	Carter, B. J., C. A. Laughlin, L. M. de la Maza, and M. Myers, "Adeno-associated virus autointerference,"				
B56	Casto, B. C., R. W. Atchison, and W. M. Hammon, "Studies on the relationship between adeno-associated virus type I (AAV-1) and adenoviruses. I. Replication of AAV-1 in certain cell cultures and its effect on helper adenovirus," 1967a, Virology, 32:52-59.					
B57	Casto, B. C., J. A. Armstrong, R. W. Atchison, and W. M. Hammon, "Studies on the relationship between adeno-associated virus type 1 (AAV-1) and adenoviruses. II. Inhibition of adenovirus plaques by AAV; its nature and specificity," 1967b, <i>Virology</i> , 33:452-458.					
B58	1 0,	Chang, L.S. and Shenk, T., "The adenovirus DNA-binding protein stimulates the rate of transcription directe by adenovirus and adeno-associated virus promoters," 1990, <i>J Virol</i> , 64:2103-2109.				
B59	Chang, L.S., Y. Shi, and T. Shenk, "Adeno-associated virus P5 promoter contains an adenovirus E1A-inducible element and a binding site for the major late transcription factor," 1989, <i>J. Virol.</i> , 63:3479-3488.					
B60	Chao H et al., "Several Log Increase in Therapeutic Transgene Delivery by Disticnt Adeno-Associated Viral Serotype Vectors," 2000, <i>Molecular Therapy</i> , 2(6):619-623.					
B61	Chejanovsky, N. and B.J. Carter, "Repl containing an inducible amber suppress					
B62	Chejanovsky, N. and B.J. Carter, "Muta effects on viral DNA replication," 1989b		e adeno-associated virus rep gene:			

Examiner Signature:	Date Considered:					
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in						
conformance and not considered. Include copy of this form with next communication to applicant.						

APPLICATION No.: 10/581,228

SHEET 4 OF 15

			elete if Known		
(Use as many sheets as necessary)		Application Number	10/581,228		
		Filing Date	June 2, 2006		
		First Named Inventor	Chiorini et al.		
		Group Art Unit	1646		
200	-	Examiner Name	Unassigned		
B63	Chiorini JA, Afione S, Kotin RM, "Adeno-associated virus (AAV) type 5 Rep protein cleaves a unique terminal resolution site compared with other AAV serotypes," 1999a May, <i>J Virol.</i> , 73(5):4293-4298.				
B64	Chiorini, J.A., C.M. Wendtner, E. Urcela T cell co-stimulatory molecule B7-2 to by vectors,"1995, <i>Human Gene Therapy</i> , 6	ymphoid cells using high-titer rec			
B65	Chiorini, J.A., L. Yang, B. Safer, and R. Rep78 binding sites by random sequen				
B66	Chiorini, J.A., M.D. Weitzman, R.A. Owens, E. Urcelay, B. Safer, and R.M. Kotin, "Biologically active Rep proteins of adeno-associated virus type 2 produced as fusion proteins in <i>Escherichia coli</i> ," 1994a, <i>J. Virol.</i> , 68:797-804.				
B67	Chiorini, J.A., S.M. Wiener, R.M. Kotin, R.A. Owens, SRM Kyöstiö, and B. Safer, "Sequence requirements for stable binding and function of Rep68 on the adeno-associated virus type 2 inverted terminal repeats," 1994b, <i>J. Virol.</i> , 68:7448-7457.				
B68	Clark et al., "Highly Purified Recombinant Adeno-Associated Virus Vectors are Biologically Active and Free of Detectable Helper and Wild-Type Viruses," 1999, <i>Hum. Gene Ther.</i> , 10:1031-1039.				
B69	Cohen-Salmon et al., "Targeted ablation of connexin26 in the inner ear epithelial gap junction network causes hearing impairment and cell death," 2002, Curr Biol, 12:1106-1111.				
B70	Crystal RG, "Transfer of genes to humans: early lessons and obstacles to success," 1995, Science, 270(5235):404-410.				
B71	Database EMBL, Entry GGACTAA, GenBank Accession number M61166, 3/27/1991, XP002125220				
B72	Davidson BL, Doran SE, Shewach DS, Latta JM, Hartman JW, Roessler BJ., "Expression of <i>Escherichia coli beta</i> -galactosidase and rat HPRT in the CNS of <i>Macaca mulatta</i> following adenoviral mediated gene transfer,"1994, <i>Exp Neurol</i> , 125:258-267.				
B73	Davidson BL, Stein CS, Heth JA, Martins I, Kotin RM, Derksen TA, Zabner J, Ghodsi A, Chiorini JA, "Recombinant adeno-associated virus type 2, 4, and 5 vectors: Transduction of variant cell types and regions in the mammalian central nervous system," 2000, <i>Proc Natl Acad Sci U S A.</i> , 97(7):3428-3432.				
B74	Deonarain MP, "Ligand-targeted receptor-mediated vectors for gene delivery," 1998, <i>Molecular Conjugate Vectors</i> , 8(1):53-69.				
B75	Derby, M. L., M. Sena-Esteves, et al., "vaccinia virus vectors," 1999, Hear Res		an inner ear using HSV-1 and		
B76	Di Pasquale, G., and J. A. Chiorini, "PKA/PrKX activity is a modulator of AAV/adenovirus interaction," 2003, <i>EMBO J</i> , 22:1716-1724.				
B77	Di Pasquale, G., B. L. Davidson, et al., <i>Nat Med</i> , 9(10):1306-1312.	Di Pasquale, G., B. L. Davidson, et al., "Identification of PDGFR as a receptor for AAV-5 transduction," 2003,			
B78	Dixit, M., M.S. Webb, W.C. Smart, and S. Ohi, "Construction and expression of a recombinant adeno- associated virus that harbors a human <i>beta</i> -globin-encoding cDNA," 1991, <i>Gene</i> , 104:253-257.				
B79	Doll RF, Crandall JE, Dyer CA, Aucoin into mammalian brain cells using AAV	· ·	• •		

Examiner Signature:	Date Considered:				
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in					
conformance and not considered. Include conv of this for	m with next communication to applicant				

		-	_	.,-	
SH	1EE	T	5	OF	15

		Comp	lete if Known		
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228		
			June 2, 2006		
(Use as m	(Use as many sheets as necessary)		Chiorini et al.		
		Group Art Unit	1646		
		Examiner Name	Unassigned		
B80	Duan, D., Yue Y., Yan Z., McCray PBJr, and Engelhardt JF., "Polarity influences the efficiency of recombinant adenoassociated virus infection in differentiated airway epithelia," 1998, <i>Hum Gene Ther</i> , 9:2761-2776.				
B81	During MJ, Symes CW, Lawlor PA, Lin Lipski J, Young D, "An oral vaccine agai 2000, <i>Science</i> , 287:1453-1460.				
B82	During MJ, Xu R, Young D, Kaplitt MG, using an adeno-associated virus vector,				
B83	During MJ, Leone P, "Adeno-associated 1995-96, <i>Clin Neurosci</i> , 3(5):292-300, X		of neurodegenerative disorders,"		
B84	Erles, K., Sebokova, P. and Schlehofer, to adeno-associated virus (AAV)," 1999		e of serum antibodies (IgG and IgM)		
B85	Fan D-S, Ogawa M, Fujimoto K-I, Ikeguchi K, Ogasawara Y, Urabe M, Nishizawa M, Nakano I, Yoshida M, Nagatsu I, Ichinose H, Nagatsu T, Kurtzman GJ, Ozawa K, "Behavioral recovery in 6-hydroxydopamine-lesioned rats by cotransduction of striatum with tyrosine hydroxylase and aromatic L-amino acid decarboxylase genes using two separate adeno-associated virus vectors," 1998, <i>Hum Gene Ther</i> , 9:2527-2535.				
B86	Fisher, KJ, Jooss K., Alston J., Yang Y., Haecker SE, High K., Pathak R., Raper SE, and Wilson JM, "Recombinant adeno-associated virus for muscle directed gene therapy," 1997, <i>Nat Med</i> , 3:306-312.				
B87	Fisher, R.E., H.D. Mayor, "The evolution of defective and autonomous parvoviruses," 1991, <i>J Theor Biol</i> , 149:429-439.				
B88	Flannery et al., "Efficient Photoreceptor-targeted Gene Expression in vivo by Recombinant Adeno-Associated Virus," 1997, <i>Proc Natl Acad Sci USA</i> , 94:6916-6921.				
B89	Flotte TR, Solow R, Owens RA, Afione S, Zeitlin PL, Carter BJ, "Gene expression from adeno-associated virus vectors in airway epithelial cells," 1992, <i>Am J Respir Cell Mol Biol</i> , 7(3):349-356; XP000609213				
B90	Flotte, T.R., S.A. Afione, C. Conrad, S.A. McGrath, R. Solow, H. Oka, P.L. Zeitlin, W.B. Guggino, and B.J. Carter, "Stable <i>in vivo</i> expression of the cystic fibrosis transmembrane conductance regulator with an adenoassociated virus vector," 1993, <i>Proc. Natl. Acad. Sci.</i> , 90:10613-10617.				
B91	Flotte, T.R., S.A. Afione, R. Solow, M.L. Drumm, D. Markakis, W.B. Guggino, P.L. Zeitlin, and B.J. Carter, "Expression of the cystic fibrosis transmembrane conductance regulator from a novel adeno-associated virus promoter," 1993, <i>J Biol Chem</i> , 268:3781-3790.				
B92	Frolenkov GI, Belyantseva IA, Friedman TB, Griffith AJ, "Genetic insights into the morphogenesis of inner ear hair cells," 2004, <i>Nat Rev Genet</i> , 5:489-498.				
B93	Gao, G., L. H. Vandenberghe, M. R. Alvira, Y. Lu, R. Calcedo, X. Zhou, and J. M. Wilson, "Clades of Adenoassociated viruses are widely disseminated in human tissues," 2004, <i>J Virol</i> , 78:6381-6388.				
B94	Gao, G.P., Alvira, M.R., Wang, L., Calcedo, R., Johnston, J. and Wilson, J.M., "Novel adeno-associated viruses from rhesus monkeys as vectors for human gene therapy," 2002, <i>Proc Natl Acad Sci USA</i> , 99:11854-11859.				
B95	GenBank Accession number AY186198				

		Comp	lete if Known		
INFORMATION D	DISCLOSURE STATEMENT LIST	Application Number	10/581,228		
(Head on many charter to proceed)		Filing Date	June 2, 2006		
(Use as m	(Use as many sheets as necessary)		Chiorini et al.		
			1646		
		Examiner Name	Unassigned		
B96	Georg-Fries B, Biederlack S, Wolf J, zur Hausen H, "Analysis of proteins, helper dependence, and seroepidemiology of a new human parvovirus," 1984, <i>Virology</i> , 134(1):64-71, XP002027460.				
B97	Ghodsi A., Stein C., Derksen T., Martinimproves <i>beta</i> -glucuronidase distribution gene transfer," 1999, <i>Exp Neurol</i> , 160:1	n and pathology in murine MPS			
B98	Ghodsi A., Stein, C., Derksen T., Yang, activity in murine central nervous system <i>Ther</i> , 9:2331-2340.				
B99	Girod A., Ried M., Wobus C., Lahm H., capsid modifications allow efficient re-ta 1056.				
B100	Grimm, D. and M. A. Kay, "From virus evolution to vector revolution: use of naturally occurring serotypes of adeno-associated virus (AAV) as novel vectors for human gene therapy," 2003, <i>Curr Gene Ther</i> , 3(4)::281-304.				
B101	Grimm D and Kern A, Rittner K Kleinschmidt JA, "Novel Tools for Production and Purification of Recombinant Adenoassociated Virus Vectors," 1998, <i>Human Gene Therapy</i> , 9:2745-2760.				
B102	Guy J., Qi X., Muzyczka N., and Hauswirth WW, "Reporter expression persists 1 year after adenoassociated virus-mediated gene transfer to the optic nerve," 1999, Arch Ophthalmol, 117:929-937.				
B103	Halbert CL, Standaert TA, Aitken ML, Alexander IE, Russell DW, and Miller AD, "Transduction by adenoassociated virus vectors in the rabbit airway: efficiency, persistence, and readministration," 1997, <i>J. Virol.</i> , 71:5932-5941.				
B104	Halbert, C. L., J. M. Allen, and A. D. Miller, "Adeno-associated virus type 6 (AAV6) vectors mediate efficient transduction of airway epithelial cells in mouse lungs compared to that of AAV2 vectors," 2001, <i>J Virol</i> , 75:6615-6624.				
B105	He, D. Z., J. Zheng, et al., "Developmen Res, 162(1-2):113-125.	nt of acetylcholine receptors in c	ultured outer hair cells," 2001, Hear		
B106	Hehir K.M., Armentano D., Cardoza L.M., Choquette T.L., Berthelette P.B., White G.A., Couture L.A., Everton M.B., Keegan J., Martin J.M., Pratt D.A., Smith M.P., Smith A.E., Wadsworth S.C., "Molecular characterization of replication-competent variants of adenovirus vectors and genome modifications to prevent their occurrence," 1996, <i>J Virol</i> , 70(12):8459-8467.				
B107	Heister, T., Heid, I. Ackermann, M., Fraefel, C., "Herpes simplex virus type 1/adeno-associated virus hybrid vectors mediate site-specific integration at the adeno-associated virus preintegration site, AAVS1, on human chromosome 19," 2002, <i>J Virol</i> , 76(14):7163-7173.				
B108	Hermonat PL, Santin AD, De Greve J, De Rijcke M, Bishop BM, Han L, Mane M, Kokorina N, "Chromosomal latency and expression at map unit 96 of a wild-type plus adeno-associated virus (AAV)/Neo vector and identification of p81, a new AAV transcriptional promoter," 1999 Nov-Dec, <i>J Hum Virol.</i> , 2(6):359-368.				
B109	Hermonat, PL and N Muzyczka, "Use o transduction of neomycin resistance int 81:6466-6470.				

Examiner Signature: Date Considere

APPLICATION No.: 10/581,228

SHEET 7 OF 15

			plete if Known
(Use as many sheets as necessary)		Application Number	10/581,228
		Filing Date	June 2, 2006
		First Named Inventor	Chiorini et al.
		Group Art Unit	1646
		Examiner Name	Unassigned
B110 i	Hermonat, P.L., M.A. Labow, R. Wright isolation and preliminary characterization 339.		
B111	Hoggan, M. D., N. R. Blacklow, and W. preparations: physical, biological, and i 55:1467-1474.		
B112	Hoggan, M.D., "Adenovirus associated	viruses," 1970, Prog Med Virol,	12:211-239.
R113	Holt, J. R., "Viral-mediated gene transfe 2002, <i>Audiol Neurootol</i> , 7(3):157-160.		
I B I IA I	Holt, J. R., D. C. Johns, et al., "Function cells infected with adenoviral vectors,"		•
B115	Hsueh Y-P, Sheng M., "Regulated exproperated exproperated by the syndecan-bindir Neurosci, 19(17):7415-7425.		
B116	Hsueh Y-P, Yang F-C, Kharazia V, Naisbitt S, Cohen AR, Weinberg RJ, Sheng M, "Direct interaction		•
B117			•
IRIIRI			•
B119			
1 8 7 7 1 1	Hunter, L.A. and R.J. Samulski, "Coloc nuclei of infected cells," 1992, <i>J. Virol</i> .,		rus Rep and capsid proteins in the
B121 Im DS, Muzyczka N, "Partial purification of a biochemical characterization," 1992 Feb, J V			
18177 1	B122 Inglis VI, Jones MP, Tse AD, Easton A model of the blood-brain barrier," 2004		I increase permeability in a cell cultu
	lto, M. and H.D. Mayor, "Hemagglutinin 100:61-68.	of type 4 adeno-associated sa	tellite virus," 1968, J. Immunol,
B124	Jaksch, M., K.D. Gerbitz, and C. Kilger nonradioactive single strand conformat 509		
	Janik, J.E., M.M. Huston, K. Cho, and oproteins requires both adenovirus DNA		

Examiner Signature:	Date Considered:		
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in			
conformance and not considered. Include copy of this form with next communication to applicant.			

APPLICATION No.: 10/581,228

SHEET 8 OF 15

****		Comp	lete if Known
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228
		Filing Date	June 2, 2006
(Use as	many sheets as necessary)	First Named Inventor	Chiorini et al.
		Group Art Unit	1646
		Examiner Name	Unassigned
B126	Jero J, Mhatre AN, Tseng CJ, Stern RE AK., "Cochlear gene delivery through at 12(5):539-548.		
B127	Johansson CB, Momma S, Clarke DL, F the adult mammalian central nervous sy		Identification of a neural stem cell in
B128	Kaludov et al., "Adeno-Associated Virus Hemagglutination and Efficient Transdu 75(15):6884-6893.		
B129	Kaludov et al., "Scalable Purification of Chromatography," 2002, Human Gene		, 4 or 5 Using Ion-Exchange
B130	Kanzaki, S., K. Ogawa, et al., "Transger and advanced generation adenovirus ve		
B131	 Kaplitt, M.G., P. Leone, R.J. Samulski, X. Xiao, D.W. Pfaff, K.L. O'Malley, and J.M. During, "Long-term expression and phenotypic correction using adeno-associated virus vectors in the mammalian brain," <i>Nature Genetics</i>, 8:148-154. Kelsell, D.P., Dunlop, J., Stevens, H.P., Lench, N.J., Liang, J.N., Parry, G., Mueller, R.F., Leigh, I.M., "Connexin 26 mutations in hereditary non-syndromic sensorineural deafness," 1997, <i>Nature</i>, 387(662) 83 		
B132			
B133	Kern, A., K. Schmidt, C. Leder, O. J. M. J. A. Kleinschmidt, "Identification of a he J Virol, 77:11072-11081.		
B134	Klein RL, Meyer EM, Peel AL, Zolotukhin S, Meyers C, Muzyczka N, King MA., "Neuron-specific transdu in the rat septohippocampal or nigrostriatal pathway by recombinant adeno-associated virus vectors," 19 <i>Exp Neurol</i> , 150:183-194.		ng MA., "Neuron-specific transducti eno-associated virus vectors," 1998
B135	Kondo M., Finkbeiner WE, and Widdico from dog tracheal epithelium," 1991, An		culture of highly differentiated cells
B136	Kotin et al. "Organization of adeno-associated virus DNA in latently infected Detroit 6 cells " 1989. Virus		·
B137			
B138	Kovacs P, Pinter M, Csaba G, "Effect or on <i>Tetrahymena pyriformis</i> : data on the 18(4):269-280.	f glucosphingolipid synthesis inh evolution of the signaling system	nibitor (PPMP and PDMP) treatment m," 2000, Cell Biochem Funct,
B139	Kyo S, Nakamura M, Kiyono T, Maida Y immortalization of endometrial glandula Am J Pathol, 163(6):2259-2269.	/, Kanaya T, Tanaka M, Yatabe r cells with normal structural and	N, Inoue M, "Successful d functional characteristics," 2003,

Examiner Signature:	Date Considered:	

		Comp	lete if Known
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228
		Filing Date	June 2, 2006
(Use as ma	(Use as many sheets as necessary)		Chiorini et al.
			1646
		Group Art Unit Examiner Name	Unassigned
	Kyostio SR, Owens RA, Weitzman MD,	Antoni BA Chejanovsky N. Carl	ter R I "Analysis of adeno-associated
B140	virus (AAV) wild-type and mutant Rep p levels," 1994, <i>J Virol</i> , 68(5):2947-2957,	roteins for their abilities to negat XP-002125032.	ively regulate AAV p ₅ and p ₁₉ mRNA
B141	Laughlin, C.A., M.W. Myers, D.L. Risin, adeno-associated virus," 1979, <i>Virology</i>		g particles of the human parvovirus
B142	Laughlin, C.A., N. Jones, and B.J. Carte replication of adeno-associated virus," 1		rus early region 1 genes upon
B143	Lee K, Kim YG, Jo EC, "Shuttle PCR-bagenome," 2003, J Virol Methods, 111(2)	<u> </u>	eno-associated virus type 5
B144	Li J, Samulski RJ, Xiao X, "Role for High Vector Production," 1997, <i>J Virol</i> , 71(7):		sion in Adeno-Associated Virus
B145	Li Duan, M., T. Bordet, et al., "Adenoviraguinea pig cochlea," 2002, Neuroreport,		ctor mediated gene transfer in the
B146	 Liang Y, Annan RS, Carr SA, Popp S, Mevissen M, Margolis RK, Margolis RU., "Mammalian homologues of the <i>Drosophila</i> slit protein are ligands of the heparan sulfate proteoglycan glypican-1 in brain," 1999, <i>J Biol Chem</i>, 274(25):17885-17892. Lo WD, Qu G, Sferra TJ, Clark R, Chen R, Johnson PR., "Adeno-associated virus-mediated gene transfer to the brain: duration and modulation of expression," 1999, <i>Hum Gene Ther</i>, 10:201-213. Luchsinger, E., Strobbe, R., Dekegel, D. and Wellemans, G., "Use of B-IV zonal rotor centrifugation as a 		
B147			
B148			
B149	Luchsinger, E., Strobbe, R., Wellemans, G., Dekegel, D. and Sprecher-Goldberger, S., "Haemagglutinating adeno-associated virus (AAV) in association with bovine adenovirus type 1," 1970, <i>Brief report. Arch Gesamte Virusforsch</i> , 31:390-392.		
B150	Luebke, A. E., J. D. Steiger, et al., "A m compromising cochlear function," 2001,		cochlear hair cells in vivo without
B151	Luebke, A. E., P. K. Foster, et al., "Cochlear function and transgene expression in the guinea pig cochlea, using adenovirus- and adeno-associated virus-directed gene transfer," 2001, <i>Hum Gene Ther</i> , 12:773-781. Maeda Y, Ikeda U, Ogasawara Y, Urabe M, Takizawa T, Saito T, Colosi P, Kurtzman G, Shimada K, Ozawa K, "Gene transfer into vascular cells using adeno-associated virus (AAV) vectors," 1997, <i>Cardiovasc Res</i> , 35(3):514-521, XP-002125030		
B152			
B153	Mandel RJ, Rendahl KG, Spratt SK, Snyder RO, Cohen LK, Leff SE., "Characterization of intrastriatal recombinant adeno-associated virus-mediated gene transfer of human tyrosine hydroxylase and human GTP-cyclohydrolase I in a rat model of Parkinson's disease," 1998, <i>J Neurosci</i> , 18(11):4271-4284.		yrosine hydroxylase and human
B154	McCarty, D.M., J. Pereira, I. Zolotukhin, sequences that specifically bind the ade		
B155 McCown TJ, Xiao X, Li J, Breese GR, Samulski RJ, "Differential and Persistent Expression Pattern Gene Transfer by an Adeno-Associated Virus (AAV) Vector," 1996, <i>Brain Res</i> , 713:99-107.		•	

Examiner	⁻ Signature:	Date Considered:

APPLICATION No.: 10/581,228

SHEET 10 OF 15

INFORMATION DIS	SCLOSURE STATEMENT LIST	Application Number	plete if Known 10/581,228
(Use as many sheets as necessary)		Filing Date	June 2, 2006
		First Named Inventor	Chiorini et al.
		Group Art Unit	1646
		Examiner Name	Unassigned
I BIOD I	McPherson, R. A., L. J. Rosenthal, and associated virus replication," 1985, Viro		lovirus completely helps adeno-
R157	Mendelson, E., J.P. Trempe, and B.J. Cassociated virus by antibodies to a synt	Carter "Identification of the trans	• • • •
B158	Meyers, C., Mane, M., Kokorina, N., Ala virus type 2 autonomously replicates in 272:338-346.		
	Mitrani E, Ziv T, Thomsen G, Shimoni S structures and is expressed in the hypo		
IRIBU	Mizukami, H., N.S. Young, and K.E. Bromembrane glycoprotein," 1996, <i>Virolog</i>	·	ype 2 binds to a 150-kilodalton cell
	Mori, S., L. Wang, T. Takeuchi, and T. monkey: pseudotyping characterization		
B162 Mouw, M.B. and Pintel, D.J., "Adeno-stimulated during coinfection with ade			
IRINAI	Muramatsu S-I, et al., "Nucleotide Sequ Virus 3," 1996, <i>Virology,</i> 221:208-217,	_	nfectious Clone of Adeno-Associate
I RID/I I	Muster et al., "Physical Mapping of Adeno-Associated Virus Serotype 4 DNA" 1980, <i>J. Virol.</i> , 35(3):653-66 XP002058632		
	Muzyczka, N, "Use of adeno-associate Curr Top Microbiol Immunol, 158:97-12	ssociated virus as a general transduction vector for mammalian cells," 1992 58:97-129. Id Hetrick, F.M., "Isolation and characterization of adeno-associated viruses 1 and 2," 1976, <i>Am J Vet Res</i> , 37(8):907-910.	
I KIND I	• • • • • • • • • • • • • • • • • • • •		
B167	Naz, S., Griffit,h A.J., Riazuddin, S., Hampton, L.L., Battey, J.F. Jr, Khan, S.N., Riazuddin, S., Wilco:		
I B Ind I	No D, Yao TP, Evans RM., "Ecdysone- 1996, <i>Proc Natl Acad Sci USA</i> , 93(8):3	•	ammalian cells and transgenic mice
B169	Ogston, P., K. Raj, and P. Beard, "Proc papillomavirus type 16 (HPV-16) episor protein," 2000, <i>J Virol</i> , 74:3494-3504.		
	Opie et al., "Identification of amino acid contribute to heparan sulfate proteogly		
1 1 1 1 1	O'Riordan et al., "Scaleable Chromatog (rAAV)," 2000, <i>J Gene Med</i> , 2:444-454	· •	Recombinant Adeno-Associated Vil
IRIZZ	Parks, W.P., J.L. Melnick, R. Rongey, a defective adeno-satellite virus," 1967, J	•	y and growth cycle studies of a

Examiner Signature:	Date Considered:	
EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609	Draw line through citation

		Comp	lete if Known
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228
		Filing Date	June 2, 2006
(Use as ma	(Use as many sheets as necessary)		Chiorini et al.
		Group Art Unit	1646
		Examiner Name	Unassigned
B173	Podsakoff, G., K.K. Jr Wong, and S. Ch associated virus-based vectors," 1994,		into nondividing cells by adeno-
B174	Polishchuk R, Di Pentima A, Lippincott- the apical surface of polarized MDCK of	Schwartz J, "Delivery of raft-ass	· · · · · · · · · · · · · · · · · · ·
B175	Prasad KM, Zhou C, Trempe JP, "Chara Virology, 229(1):183-192, XP-00212503		associated virus complex," 1997,
B176	Qing K, Mah C, Hansen J, Zhou S, Dwa co-receptor for infection by adeno-association		
B177	Qiu J, Brown KE., "Integrin alphaVbeta5 1999, Virology, 264(2):436-440.		
B178	Rabinowitz et al., "Cross-Packaging of a Multiple AAV Serotypes Enables Transo XP002247245.	•	, , , , , , , , , , , , , , , , , , , ,
B179	Rabinowitz JE, Bowles DE, Faust SM, Ledford JG, Cunningham SE, Samulski RJ., "Cross-dressing the virion: the transcapsidation of adeno-associated virus serotypes functionally defines subgroups," 2004, <i>J Virol</i> , 78(9):4421-4432.		
B180	Reddy, V. S., P. Natarajan, B. Okerberg, K. Li, K. V. Damodaran, R. T. Morton, C. L. Brooks, 3rd, and J. E. Johnson, "Virus Particle Explorer (VIPER), a website for virus capsid structures and their computational analyses," 2001, <i>J Virol</i> , 75:11943-11947.		
B181	Rich DP, Couture LA, Cardoza LM, Guiggio LM, Armentano D., Espino PC, Hehir K., Welsh MJ, Smith AE, and Gregory RJ, "Development and analysis of recombinant adenoviruses for gene therapy of cystic fibrosis," 1993, <i>Hum.Gene Ther.</i> , 4:461-476.		
B182	Richardson, W. D., and H. Westphal, "Requirement for either early region 1a or early region 1b adenovirus gene products in the helper effect for adeno-associated virus," 1984, <i>J Virol</i> , 51:404-410.		
B183	Rose, J.A., M.D. Hoggan, F. Koczot, and A.J. Shatkin, "Genetic relatedness studies with adenovirus-associated viruses," 1968, <i>J. Virol.</i> , 2:999-1005.		
B184	Rosenfeld et al., "Adeno-associated viral vector gene transfer into leptomeningeal xenografts," 1997, <i>J Neuro-Oncology</i> , 34(2):139-144.		
B185	Russell et al., "Adeno-Associated Virus Vectors Preferentially Transduce Cells in S Phase," 1994, <i>Proc. Na. Acad. Sci. USA</i> , 91:8915-8919.		
B186	 Rutledge EA, Halbert CL, and Russell DW, "Infectious Clones and Vectors Derived from Adeno-Associated Virus (AAV) Serotypes other Than AAV Type 2," 1998, J. Virol., 72(1):309-319. Ryan, J.H., S. Zolotukhin, and N. Muzyczka, "Sequence requirements for binding of Rep68 to the adeno-associated virus terminal repeats," 1996, J. Virol., 70:1542-1553. Rzadzinska, A. K., M. E. Schneider, et al., "An actin molecular treadmill and myosins maintain stereocilia functional architecture and self-renewal," 2004, J Cell Biol, 164(6):887-897. Saffer, L. D., R. Gu, et al., "An RT-PCR analysis of mRNA for growth factor receptors in damaged and control sensory epithelia of rat utricles," 1996, Hear Res, 94(1-2):14-23. 		
B187			or binding of Rep68 to the adeno-
B188			_
B189			

Examiner Signature:	Date Considered:
EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609. Draw line through citation if not in
conformance and not considered. Include copy of this form	with next communication to applicant.

			Com	plete if Known
INFORM	(Use as many sheets as necessary)		Application Number	10/581,228
			Filing Date	June 2, 2006
\			First Named Inventor	Chiorini et al.
			Group Art Unit	1646
			Examiner Name	Unassigned
	B190	Salo R. and Mayor H., "Structural Poly	peptides of Parvoviruses," 1977	7, Virology, 78:340-345; XP002058634
	B191	Samulski RJ, Chang LS, Shenk T, "Hel integration does not require viral gene	•	
	B192	Samulski, R. J., and T. Shenk, "Adenovaccumulation of adeno-associated virus		
	B193	Samulski, R.J., K.I. Berns, M. Tan, and rescue of intact virus from the recombin 79:2077-2081.		
	B194	Sanes JR, JLR Rubenstein, and JF Nic lineage in mouse embryos, 1986, EMB	•	trovirus to study post-implantation cell
	B195	Sanlioglu, S., Benson, P.K., Yang, J., Anuclear trafficking of adeno-associated activation," 2000, J Virol, 74:9184-9196	virus type 2 are controlled by r	
	B196	Schinkel AH, "P-Glycoprotein, a gateke 194.	eeper in the blood-brain barrier,"1999, Adv Drug Deliv Rev, 36:179-	
	B197 Schlehofer JR, Heilbronn R, Georg-Fi amplification in SV40-transformed Ch <i>J Cancer</i> , 32(5):591-595, XP0090103		nese hamster cells by infection	of initiator-induced SV40 gene with a defective parvovirus," 1983, Int
	B198	Schlehofer, J. R., M. Ehrbar, and H. zur Hausen, "Vaccinia virus, herpes simplex virus, and carcinoge induce DNA amplification in a human cell line and support replication of a helpervirus dependent parv 1986, Virology, 152:110-117.		
	B199	Schmidt M. Grot E. Convenka P. Wainer S. Ruck C. Chier		
	B200	Schneider, M. E., I. A. Belyantseva, et 418(6900):837-838.	al., "Rapid renewal of auditory	hair bundles," 2002, Nature,
	B201	Schwede, T., J. Kopp, N. Guex, and M modeling server," 2003, <i>Nucleic Acids</i>	•	An automated protein homology-
	B202	Seiler MP, Miller AD, Zabner J, Halbert cell entry," 2006, <i>Hum Gene Ther</i> , 17:1	rt CL, "Adeno-associated virus types 5 and 6 use distinct receptors for 10-19.	
			rini, A. D. Miller, and J. Zabner, "AAV5 and AAV6 Mediate Gene ia Different Receptors," 2002, <i>Mol Ther</i> , 5:S40.	
	B204	Senapathy, P., J.D. Tratschin, and B.J. Carter, "Replication of adeno-associated virus DNA. Complementation of naturally occurring rep- mutants by a wild-type genome or an ori- mutant and of terminal palindrome deletions," 1984, <i>J Mol Biol</i> , 179:1-20.		
	B205	Shou, J., J. L. Zheng, et al., "Robust ge adenoviral expression of <i>Hath1</i> ," 2003,	generation of new hair cells in the mature mammalian inner ear by 3, Mol Cell Neurosci, 23(2):169-179.	
	B206 Smith, R. H., S. A. Afione, et al., "Transvirus type 5 helper plasmid," 2002, <i>Bio</i>			

Examiner Signature:	Date Considered:
EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609. Draw line through citation if not in
conformance and not considered. Include copy of this for	m with next communication to applicant.

		Comp	plete if Known	
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228	
(1100 00 00 00 00 00 00 00 00 00 00 00 00		Filing Date	June 2, 2006	
(Use as n	(Use as many sheets as necessary)		Chiorini et al.	
			1646	
		Examiner Name	Unassigned	
B207	Snyder RO, Miao CH, Patijn GA, Spratt SK, Danos O., Nagy D., Gown AM, Winther B., Meuse L., Cohen LK, Thompson AR, and Kay MA, "Persistent and therapeutic concentrations of human factor IX in mice after hepatic gene transfer of recombinant AAV vectors," 1997, <i>Nat.Genet.</i> , 16:270-276.			
B208	Sobkowicz, H. M., J. M. Loftus, et al., "Tissue culture of the organ of Corti," 1993, <i>Acta Otolaryngol Suppl</i> , 502:3-36.			
B209	Srivastava et al., "Nucleotide Sequence and Organization of the Adeno-Associated Virus 2 Genome," 1983, J. Virol., 45(2):555-564; XP002058633			
B210	Staecker H, Li D, O'Malley BW Jr, Van De Water TR., "Gene expression in the mammalian cochlea: a study of multiple vector systems," 2001, <i>Acta Otolaryngol</i> , 121(2):157-163.			
B211	Stracker, T. H., G. D. Cassell, P. Ward, Y. M. Loo, B. van Breukelen, S. D. Carrington-Lawrence, R. K. Hamatake, P. C. van der Vliet, S. K. Weller, T. Melendy, and M. D. Weitzman, "The Rep protein of adenoassociated virus type 2 interacts with single-stranded DNA-binding proteins that enhance viral replication," 2004, <i>J Virol</i> , 78:441-453.			
B212	Summerford C, Bartlett JS, Samulski RJ., "AlphaVbeta5 integrin: a co-receptor for adeno-associated virus type 2 infection," 1999, Nat Med, 5(1):78-82.			
B213	Summerford, C. and R. J. Samulski, "Membrane-associated heparan sulfate proteoglycan is a receptor for adeno-associated virus type 2 virions," 1998, <i>J Virol</i> , 72(2):1438-1445.			
B214	Superti, F., M. L. Marziano, A. Tinari, and G. Donelli, "Effect of polyions on the infectivity of SA-11 rotavirus in LCC-MK2 cells," 1993, Comp Immunol Microbiol Infect Dis, 16:55-62.			
B215	Suzuki, H., Y. Katori, et al., "Carbohydrate distribution in the living utricular macula of the guinea pig detected by lectins," 1995, <i>Hear Res</i> , 87(1-2):32-40.			
B216	Teramoto, S., Bartlett JS, McCarty DXX, Samulski RJ, and Boucher RC, "Factors influencing adenoassociated virus-mediated gene transfer to human cystic fibrosis airway epithelial cells: comparison with adenovirus vectors," 1998, <i>J Virol</i> , 72:8904-8912.			
B217	Thomas CE, Storm TA, Huang Z, Kay MA, "Rapid uncoating of vector genomes is the key to efficient liver transduction with pseudotyped adeno-associated virus vectors," 2004, <i>J Virol</i> , 78(6):3110-3122.			
B218	Tratschin, J. D., M. H. West, T. Sandbank, and B. J. Carter, "A human parvovirus, adeno-associated virus, as a eucaryotic vector: transient expression and encapsidation of the procaryotic gene for chloramphenicol acetyltransferase," 1984, <i>Mol Cell Biol</i> , 4:2072-2081.			
B219	1	J.D., I.L. Miller, and B.J. Carter, "Genetic analysis of adeno-associated virus: properties of utants constructed <i>in vitro</i> and evidence for an adeno-associated virus replication function," 1984, 1:611-619.		
B220		Trempe, J.P. and B.J. Carter, "Regulation of adeno-associated virus gene expression in 293 cells: control of mRNA abundance and translation," 1988, <i>J. Virol.</i> , 62:68-74.		
B221	Trempe, J.P., E. Mendelson, and B.J. Carter, "Characterization of adeno-associated virus rep proteins in human cells by antibodies raised against rep expressed in <i>Escherichia coli</i> ," 1987, <i>Virology</i> , 161:18-28.			
B222	Tuma PL and Hubbard AL, "Transcytosis: crossing cellular barriers," 2003, Physiol Rev, 83(3):871-932.			

Examiner Signature:	Date Considered:
EXAMINER: Initial if reference considered, whet	her or not citation is in conformance with MPEP 609. Draw line through citation if not in
conformance and not considered. Include copy of the	nis form with next communication to applicant.

APPLICATION No.: 10/581,228

SHEET 14 OF 15

77		Comp	lete if Known	
INFORMATION DISCLOSURE STATEMENT LIST		Application Number	10/581,228	
(Use as many sheets as necessary)		Filing Date	June 2, 2006	
(Use as ma	any sneets as necessary)	First Named Inventor	Chiorini et al.	
		Group Art Unit	1646	
		Examiner Name	Unassigned	
B223	Voutetakis A, Kok MR, Zheng C, Bossis YP, Nieman LK, Baum BJ, "Reengineer gene therapeutics," 2004, <i>Proc Natl Aca</i>	ed salivary glands are stable en		
B224	Walsh, C.E., J.M. Liu, X. Xiao, N.S. Young, A.W. Nienhuis, and R.J. Samulski, "Regulated high level expression of a human gamma-globin gene introduced into erythroid cells by an adeno-associated virus vector," 1992, <i>Proc Natl Acad Sci USA</i> , 89:7257-7261.			
B225	Walters, R.W., Yi, S.M., Keshavjee, S., Brown, K.E., Welsh, M.J., Chiorini, J.A. and Zabner, J., "Binding of adeno-associated virus type 5 to 2,3-linked sialic acid is required for gene transfer," 2001, <i>J Biol Chem</i> , 276:20610-20616.			
B226	Walters, RW, Duan D., Engelhardt JF, and Welsh MJ., "Incorporation of adeno-associated virus in a calciu phosphate coprecipitate improves gene transfer to airway epithelia <i>in vitro</i> and <i>in vivo</i> ," 2000, <i>J. Virol.</i> , 74:535-540.			
B227	Walters, RW, Grunst T., Bergelson JM, Finberg RW, Welsh MJ, and Zabner J., "Basolateral localization of fiber receptors limits adenovirus infection from the apical surface of airway epithelia," 1999, <i>J. Biol. Chem.</i> , 274:10219-10226.			
B228	Walz, C., A. Deprez, T. Dupressoir, M. Durst, M. Rabreau, and J. R. Schlehofer, "Interaction of human papillomavirus type 16 and adeno associated virus type 2 co-infecting human cervical epithelium," 1997, <i>J Gen Virol</i> , 78(Pt 6):1441-1452.			
B229	Wang G., Davidson BL, Melchert P., Slepushkin VA, van Es HH, Bodner M., Jolly DJ, and McCray PBJr., "Influence of cell polarity on retrovirus-mediated gene transfer to differentiated human airway epithelia," 1998, <i>Journal of Virology</i> , 72:9818-9826.			
B230	Wang X S, and A Srivastava, "Rescue and autonomous replication of adeno-associated virus type 2 genomes containing Rep-binding site mutations in the viral p5 promoter," 1998, <i>J Virol</i> , 72:4811-4818.			
B231	Ward, P., F. B. Dean, M. E. O'Donnell, and K. I. Berns, "Role of the adenovirus DNA-binding protein in in vitro adeno-associated virus DNA replication," 1998, J Virol, 72:420-427.			
B232	Weindler, F. W., and R. Heilbronn, "A subset of herpes simplex virus replication genes provides helper functions for productive adeno-associated virus replication," 1991, <i>J Virol</i> , 65:2476-2483.			
B233	Winocour, E., M.F. Callaham, and E. Huberman, "Perturbation of the cell cycle by adeno-associated virus, 1988, Virology, 167:393-399.			
B234		N. Chirmule, S. C. Berta, B. McCullough, G. Gao, and J. M. Wilson, "Gene therapy vectors based associated virus type 1," 1999, <i>J Virol</i> , 73:3994-4003.		
B235	Xiao et al., "Efficient Long-Term Gene T Associated Virus Vector," 1996, <i>J. Virol</i> .	ng-Term Gene Transfer into Muscle Tissue of Immunocompetent Mice by Adeno- ;" 1996, J. Virol., 70(11):8098-8108.		
B236	•	Xm Li J, Samulski RJ, "Production of High-Titer Recombinant Adeno-Associated Virus Vectors in the ence of Helper Adenovirus," 1997, <i>J Virol</i> , 72(3):2224-2232.		
B237	Xie Q. and Chapman MS, "Canine parvo Biol, 264:497-520.	rvovirus capsid structure, analyzed at 2.9 Å resolution," 1996, <i>J Mol</i>		
B238	Yalkinoglu, A.O., Heilbronn, R., Burkle, A., Schlehofer, J.R. and zur Hausen, H., "DNA amplification of adeno-associated virus as a response to cellular genotoxic stress," 1988, <i>Cancer Res</i> , 48:3123-3129.			

Examiner Signature:

Date Considered:

APPLICATION No.: 10/581,228

SHEET 15 OF 15

		Complete if Known		
NFORMATION I	DISCLOSURE STATEMENT LIST	Application Number	10/581,228	
(Use as many sheets as necessary)		Filing Date	June 2, 2006	
		First Named Inventor	Chiorini et al.	
		Group Art Unit	1646	
		Examiner Name	Unassigned	
B239	Yakobson, B., Hrynko, T.A., Peak, M.J. and Winocour, E., "Replication of adeno-associated virus in cells irradiated with UV light at 254 nm," 1989, <i>J Virol</i> , 63:1023-1030.			
B240	Yamano, S., Huang, L.Y., Ding, C., Chiorini, J.A., Goldsmith, C.M., Wellner, R.B., Golding, B., Kotin, R.M., Scott, D.E. and Baum, B.J., "Recombinant adeno-associated virus serotype 2 vectors mediate stable interleukin 10 secretion from salivary glands into the bloodstream," 2002, <i>Hum Gene Ther</i> , 13:287-298.			
B241	Yamaya, M., Finkbeiner WE, Chun SY, and Widdicombe JH, "Differentiated structure and function of cultures from human tracheal epithelium," 1992, <i>Am.J.Physiol</i> , 262:L713-L724.			
B242	Zabner J, Seiler M, Walters R, Kotin RM, Fulgeras W, Davidson BL, Chiorini JA, "Adeno-associated virus type 5 (AAV5) but not AAV2 binds to the apical surfaces of airway epithelia and facilitates gene transfer," 2000, <i>J Virol.</i> , 74(8):3852-3858, XP002197205			
B243	Zabner, J., Zeiher BG, Friedman E, and Welsh MJ, "Adenovirus-mediated gene transfer to ciliated airway epithelia requires prolonged incubation time," 1996, <i>J. Virol.</i> , 70:6994-7003.			
B244	Zhang JR, Mostov KE, Lamm ME, Nanno M, Shimida S, Ohwaki M, Tuomanen E, "The polymeric immunoglobulin receptor translocates pneumococci across human nasopharyngeal epithelial cells," 2000, <i>Cell</i> , 102(6):827-837.			
B245		vera AA, Preuss M, Zhou F, Siegal GP, Alvarez RD, Curiel DT, er of Caco-2 cells by transferrin receptor-mediated adenovirus		
B246	Zolotukhin et al., "Recombinant Adeno-A Infectious Titer and Yield," 1999, Gene	-Associated Virus Purification using Novel Methods Improves Ther, 6:973-985.		

Examiner Signature:

Date Considered: